SOURCE DEP.3-4987

421 1957

## IN REPLY REFER TO 10-113

MEMORANDUM FOR:

Proj. OKACTIVE

SUBJECT:

Criticism in British Press of BBC Russian Broadcasting

- 1. The attached exchange of correspondence appearing in the columns of the Speciator in London emphasizes by implication some of the points OSTENT has been trying to make in its current discussions of the appropriate role for identity i. BBC Russian broadcasts have so often been held up as an example of how to communicate with the Russian people that it is interesting to note that two of the most qualified experts on Russian affairs in Britain. Professors Wiles and Seton-Watson, both are highly critical of BBC's failure to take advantage of the ferment that has been evident within the Soviet Union. Their criticism of BBC may to some extent be unjustified, since BBC, as YOA, must stay within the bounds of official propriety. But what they do say is a very strong justification of the need for an instrumentality with the policy line and organizational base of identity i.
- 2. We would suggest that both Identities 2 and 3 might wish to review this informed British discussion of a problem which is now before identity 4.

BECLASSIFIED AND RELEASED BY CENTRAL INTELLIGENCE AGENCY SOURCES METHODS EXEMPTION 3028 RAZIWAR CRIMES DISCLOSURE ACT DATE 2007

SEP 1957 127 200 124

Attachments: USC Speciator Articleand Herewith

2-Identity Sheet

Property of OSTENT. Please return when no lenger needed.

C/10/Meyer:ce (31 August 1957) Retyped: mvs (3 September 1957) Distribution:

2 - Addressee w/atts. 1 and 2

2 - C/PP w/atts. 1 and 2

1 - RI via DD/P w/att. 2

1 - C/IO File w/atts. 2

1 - C/IO/5 w/atts. 1 and 2

1 - C/IO/1 w/atts. 1 and 2

## USC Attachment to 10-113

Identity 1 - Radio Liberation

Identity 2 - Mr. Freers

Identity 3 - Mr. Lightner

Identity 4 - Radio Broadcasting Policy Committee

C/IO/Meyer:mvs (3 September 1957)

Distribution:

2 - Addressee | 1 - RI via DD/P

1 - C/IO/1

2 - C/PP

1 - C/IO File

1 - G/IO/5

Property of OSTENT. Please return when no langer needed.

CTGTT

200-124-39/3